





- NOTES:
- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMWB10)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE PART NUMBER "D2432F" AND BATCH NUMBER "BXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
 - 7) WEIGHT: 5.87 lbs
 - 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
 - 9) APPLY 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
 - 10) PROFILE PER DRAWING FILE "D2434F-REVG.STP"

DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED		DRAWING NO. D2432	REV. PG1 SHEET 2 OF 3
MFG. APPR.		TITLE BEARPAW	
APPROVED			
DE APPR.		SCALE NTS	
DATE	12.07.06	COPYRIGHT © 1995 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

